ULTRASIL® VN 2

Material no. Specification 99011458

Version

Revision date

2.2 / US 07/30/2015

Order Number

100611 04747052

Print Date Page

03/21/2016 1/10

1. Identification

1.1. **Product identifier**

Trade name

ULTRASIL® VN 2

Chemical Name

Silicon dioxide, chemically prepared

CAS-No.

112926-00-8, 7631-86-9

1.2. Recommended use of the chemical and restrictions on use

Relevant applications identified

Rubber - producing and processing industry

Details of the supplier of the safety data sheet 1.3.

Company

Evonik Corporation USA 299 Jefferson Road

Parsippany, NJ 07054-0677

USA

Telephone

973-929-8000

Telefax

973-929-8040

Email address

Product-Regulatory-Services@Evonik.com

24 HOUR EMERGENCY TELEPHONE NUMBERS: 1.4.

CHEMTREC - US &

CANADA:

800-424-9300

CHEMTREC MEXICO:

01-800-681-9531

CHEMTREC

INTERNATIONAL:

+1 703-527-3887 (collect calls accepted)

Product Regulatory

973-929-8060

Services

2. Hazards identification

2.1. Classification of the substance or mixture

Classification according to Regulation 29CFR 1910.1200

Remarks

Not a hazardous substance or mixture.

2.2. Label elements

Statutory basis

Classification according to Regulation 29CFR 1910.1200

Remarks

Not a hazardous substance or mixture.

2.3. Other hazards

None known

Silicon dioxide, chemically prepared A PBT/vPvB evaluation is not available, since a chemical safety evaluation is not required / has not been carried out.

3. Composition/information on ingredients

ULTRASIL® VN 2

Material no.

99011458

Version

2.2 / US

Specification

100611

Revision date Print Date

07/30/2015

Order Number

04747052

Page

03/21/2016 2/10

3.1. Substances

Silicon dioxide, chemically prepared

CAS-No.

112926-00-8

Remarks

Not a hazardous substance or mixture.

Other information

A new CAS, 112926-00-8, has been assigned to Amorphous Precipitated Silica to distinguish it from crystalline. According to EPA this product meets TSCA requirements and is listed on the TSCA Inventory as Silica, CAS 7631-86-9.

3.2. **Mixtures**

not applicable

4. First aid measures

4.1. Description of first aid measures

Inhalation

In case product dust is released: Possible discomfort: cough, sneezing Move victims into fresh air.

Skin contact

Wash off with soap and plenty of water.

Eve contact

In case of contact, immediately flush eyes with plenty of water for at least 15 minutes or until all material has been removed. Obtain medical attention.

Ingestion

If accidentally swallowed, rinse mouth thoroughly with water and afterwards, drink plenty of water. In case of discomfort, obtain medical attention.

4.2. Most important symptoms and effects, both acute and delayed

Symptoms

None known

4.3. Indication of any immediate medical attention and special treatment needed

No hazards which require special first aid measures.

5. Fire-fighting measures

5.1. Extinguishing media

Suitable extinguishing media:

Water spray, foam, CO2, dry powder., Adapt fire-extinguishing measures to

surroundings

Unsuitable extinguishing media:

Do not use full-force water jet in order to avoid dispersal and spread of the fire.

5.2. Special hazards arising from the substance or mixture

None known.

5.3. Advice for firefighters

As in any fire, wear self-contained positive-pressure breathing apparatus, (MSHA/NIOSH approved or equivalent) and full protective gear.

6. Accidental release measures

ULTRASIL® VN 2

Material no. Specification 99011458 100611

Version Revision date

2.2 / US 07/30/2015

Order Number

04747052

Print Date Page

03/21/2016 3/10

6.1. Personal precautions, protective equipment and emergency procedures

Wear personal protective equipment.

6.2. **Environmental precautions**

Obey relevant local, state, provincial and federal laws and regulations. Do not contaminate any lakes, streams, rivers, groundwater or soil. Do not allow entrance in sewage water, soil stretches of water, groundwater, drainage systems.

Methods and material for containment and cleaning up 6.3.

Sweep up or vacuum up spillage and collect in suitable container for disposal.

7. Handling and storage

7.1. Precautions for safe handling

Use with adequate ventilation.

7.2. Conditions for safe storage, including any incompatibilities

Advice on protection against fire and explosion

Take precautionary measures against static discharges.

Storage

Keep containers tightly closed in a dry, cool place.

8. Exposure controls/personal protection

8.1. Control parameters

•	Silicon	dioxide,	chemically	prepared
---	---------	----------	------------	----------

CAS-No.

112926-00-8

cubic foot of air

7631-86-9

Control parameters

0.8 mg/m3

Time Weighted Average (TWA):(Z3)

The exposure limit is calculated from the equation, 80/(%SiO2), using a value of 100% SiO2.

Lower values of % SiO2 will give higher exposure limits.

Control parameters

20millions of particles per

Time Weighted Average (TWA):(Z3)

8.2. **Exposure controls**

Personal protective equipment

Respiratory protection

A respiratory protection program that meets OSHA 1910.134 and ANSI Z88.2 or applicable federal/provincial requirements must be followed whenever workplace conditions warrant respirator use. NIOSH's "Respirator Decision Logic" may be useful in determining the suitability of various types of respirators.

Hand protection

Use impermeable gloves.

Eye protection

Wear safety glasses with side shields. In case dusts are formed, wear close fitting protective goggles.

Skin and body protection

A safety shower and eye wash fountain should be readily available.

To identify additional Personal Protective Equipment (PPE) requirements, it is recommended that a hazard assessment in accordance with the OSHA PPE Standard (29CFR1910.132) be conducted before using this product.

ULTRASIL® VN 2

Material no. Specification

99011458

Version

2.2 / US

100611

Revision date Print Date

07/30/2015 03/21/2016

Order Number

04747052

Page

4/10

Hygiene measures

When using, do not eat, drink or smoke. Wash face and/or hands before break and end of work. To ensure ideal skin protection: use super fatted soaps and skin cream for skin care. Wash contaminated clothing before re-use.

Protective measures

Handle in accordance with good industrial hygiene and safety practice.

If there is the possibility of skin/eye contact, the indicated hand/eye/body protection should be used. If workplace exposure limits are exceeded and/or larger amounts are released (leakage, spilling, dust) the indicated respiratory protection should be used.

9. Physical and chemical properties

Information on basic physical and chemical properties

physical state

solid

Colour

white

Form Odour

powder odorless

Odour Threshold

not applicable

pH

ca. 7

(50 g/I)

(20 °C)

Method:

DIN / ISO 787 / 9

(suspension)

Melting point/range

ca. 1700 °C

Boiling point/range

not determined

Flash point

not applicable

Evaporation rate

not applicable

Flammability (solid, gas)

not applicable

Lower explosion limit

not applicable

Upper explosion limit

not applicable

Vapour pressure

not applicable

Vapour density

not applicable

Density

ca. 2 g/cm3 (20 °C)

Water solubility

hardly soluble

Partition coefficient: n-

octanol/water

not applicable

Autoignition temperature not determined

Thermal decomposition

> 2000 °C

Viscosity, dynamic

not applicable

(solid)

ULTRASIL® VN 2

Material no.

99011458

Version.

2.2 / US

Specification

100611

Revision date Print Date

07/30/2015 03/21/2016

Order Number

04747052

Page

5/10

9.2. Other information

Explosiveness

Not to be expected in view of the structure

Minimum ignition energy not determined

Tapped density

ca. 220 g / I

Method:

DIN / ISO 787/11

10. Stability and reactivity

10.1. Reactivity

No dangerous reaction known under conditions of normal use.

10.2. Chemical stability

Stable under recommended storage conditions.

10.3. Possibility of hazardous reactions

Possibility of hazardous

No hazardous reactions are known if properly handled and stored.

reactions

10.4. Conditions to avoid

No specific hazards are known.

10.5. Incompatible materials

None known.

10.6. Hazardous decomposition products

None known.

11. Toxicological information

11.1. Information on toxicological effects

No toxicological tests are available on the product.

Acute oral toxicity

LD50 Rat: > 5000 mg/kg

OECD Test Guideline 401

comparable product

Acute inhalation toxicity

LC0 Rat: 0.69 mg/l / 4 h

Method:

analogous OECD method

No deaths occurred. comparable product

Acute dermal toxicity

LD50 Rabbit: > 5000 mg/kg

comparable product

Skin irritation

Rabbit

not irritating

Method:

analogous OECD method

comparable product

Eye irritation

Rabbit

not irritating

ULTRASIL® VN 2

Order Number

Material no. 99011458 Specification 100611

04747052

Version Revision date Print Date

Page

2.2 / US 07/30/2015 03/21/2016 6/10



Method:

analogous OECD method

comparable product

Sensitization

not known

Assessment of STOT single exposure

Assessment of STOT repeat

exposure

Risk of aspiration toxicity

Mutagenicity assessment

Carcinogenicity

carcinogenicity assessment

Toxicity to reproduction

Human experience

Further information

no evidence for hazardous properties

no evidence for hazardous properties

No aspiration toxicity classification

no evidence of mutagenic effects

No evidence that cancer may be caused.

Contains no carcinogenic substances as defined by NTP, IARC and/or OSHA.

no evidence of reproductiontoxic properties

Silicosis or other product specific illnesses of the respiratory tract were not

observed in association with the product.

The classification criteria are not met based on the available data.

12. **Ecological information**

12.1. Toxicity

No ecotoxicological data is available for this product.

Toxicity to fish

LC50 (Brachydanio rerio): > 10000 mg/l / 96 h

Method: OECD 203

The reported toxic effects relate to the nominal concentration.

Toxicity in aquatic invertebrates

EC50 Daphnia magna: > 1000 mg/l / 24 h

Method: OECD 202

The reported toxic effects relate to the nominal concentration.

12.2. Persistence and degradability

Biodegradability

The methods for determining biodegradability are not applicable to inorganic substances.

12.3. Bioaccumulative potential

Bioaccumulation

Not to be expected.

12.4. Mobility in soil

Mobility

No remarkable mobility in soil is to be expected.

12.5. Other adverse effects

Further Information

The classification criteria are not met based on the available data.

ULTRASIL® VN 2

Material no.
Specification

99011458 100611 Version Revision date Print Date 2.2 / US 07/30/2015 03/21/2016 7 / 10



Order Number

04747052

Print Date Page

13. Disposal considerations

13.1. Waste treatment methods

Product

Waste must be disposed of in accordance with federal, state and local regulations. Incineration is the preferred method.

Uncleaned packaging

Packaging material should be recycled or disposed of in accordance with federal, state and local regulations.

14. Transport information

Not dangerous according to transport regulations.

14.1. UN number:

--

14.2. UN proper shipping name:

--

14.3. Transport hazard class(es):14.4. Packing group:

-

14.5. Environmental hazards (Marine

--

pollutant):
14.6. Special precautions for user:

Yes

Not dangerous according to transport regulations.

15. Regulatory information

US Federal Regulations

OSHA

If listed below, chemical specific standards apply to the product or components:

None listed

Clean Air Act Section (112)

If listed below, components present at or above the de minimus level are hazardous air pollutants:

None listed

CERCLA Reportable Quantities

If listed below, a reportable quantity (RQ) applies to the product based on the percent of the named component:

None listed

SARA Title III Section 311/312 Hazard Categories

The product meets the criteria only for the listed hazard classes:

No SARA Hazards

ULTRASIL® VN 2

Material no.

99011458

Version -

2.2 / US

Specification

100611

Revision date Print Date

07/30/2015 03/21/2016

Order Number

04747052

Page

8/10

SARA Title III Section 313 Reportable Substances

If listed below, components are subject to the reporting requirements of Section 313 of Title III of the Superfund Amendments and Reauthorization Act of 1986 and 40 CFR Part 372:

None listed

Toxic Substances Control Act (TSCA)

If listed below, non-proprietary substances are subject to export notification under Section 12 (b) of TSCA:

None listed

State Regulations

The Listing requirements of the Right to Know (RTK) legislation varies by state. All information for NJ, PA, MA and other states can be derived from the listing of hazardous and non-hazardous components in section 2 and 15 of this MSDS.

California Proposition 65

A warning under the California Drinking Water Act is required only if listed below:

None listed

An employer using HMIS/NFPA labeling must through training ensure that its employees are fully aware of the hazards of the chemicals used.

HMIS Ratings

Health:

Flammability:

0

Physical Hazard:

0

NFPA Ratings

Health:

Flammability:

1 0

Reactivity:

0

16. Other information

Further information

Revision date

07/30/2015

Changes since the last version are highlighted in the margin. This version replaces all previous versions.

ULTRASIL® VN 2

Material no.

99011458

Version

2.2 / US

Specification

100611

Revision date Print Date

07/30/2015 03/21/2016

Order Number

04747052

Page

9/10

This information and any recommendations, technical or otherwise, are presented in good faith and believed to be correct as of the date prepared. Recipients of this information and recommendations must make their own determination as to its suitability for their purposes. In no event shall Evonik assume liability for damages or losses of any kind or nature that result from the use of or reliance upon this information and recommendations. EVONIK EXPRESSLY DISCLAIMS ANY REPRESENTATIONS AND WARRANTIES OF ANY KIND, WHETHER EXPRESS OR IMPLIED, AS TO THE ACCURACY, COMPLETENESS, NON-INFRINGEMENT, MERCHANTABILITY AND/OR FITNESS FOR A PARTICULAR PURPOSE (EVEN IF EVONIK IS AWARE OF SUCH PURPOSE) WITH RESPECT TO ANY INFORMATION AND RECOMMENDATIONS PROVIDED. Reference to any trade names used by other companies is neither a recommendation nor an endorsement of the corresponding product, and does not imply that similar products could not be used. Evonik reserves the right to make any changes to the information and/or recommendations at any time, without prior or subsequent notice.

Legend

ACC

American Chemistry Council

ACGIH

American Conference of Governmental Industrial Hygenists

ACS

Advisory Committee on Sustainability

ADI

Acceptable Daily Intake

ASTM

American Society for Testing and Materials

ATP

Adaptation to Technical Progress

BCF

Bioconcentration factor Biochemical oxygen demand

BOD

closed cup

c.c. CAO

Cargo Aircraft Only

Carc

Carcinogen Chemical Abstract Services

CAS CDN

Canada

CEPA

Canadian Environmental Protection Act

CERCLA CFR

Comprehensive Environmental Response - Compensation and Liability Act

Code of Federal Regulations

CMR COD

carcinogenic-mutagenic-toxic for reproduction

DIN

Chemical oxygen demand

DMEL

German Institute for Standardization Derived minimum effect level

DNEL

Derived no effect level

DOT **EC50**

Department of Transportation half maximal effective concentration

EPA

Environmental Protection Agency Reduction of Growth Rate

ErC50

Emergency Response Guide Book

ERG

FDA GHS Food and Drug Administration

GLP

Globally Harmonized System of Classification and Labelling of Chemicals (GHS)

GMO HCS

Good Laboratory Practice Genetic Modified Organism

HMIS

Hazard Communication Standard Hazardous Materials Identification System

IARC

International Agency for Research on Cancer International Air Transport Association

IATA IBC

Intermediate Bulk Container

ICAO-TI

International Civil Aviation Organization- Technical Instructions

ICCA

International Council of Chemical Association

ID

Identification number

IMDG IUPAC

International Maritime Dangerous Goods

ISO

International Union of Pure and Applied Chemistry International Organization For Standardization

LC50

50 % Lethal Concentration

LD50

50 % Lethal Dose

L(E)C50

LC50 or EC50

LOAEL LOEL

Lowest observed adverse effect level

MARPOL

Lowest observed effect level

International Convention for the Prevention of Pollution from Ships

NFPA

National Fire Protection Association

ULTRASIL® VN 2

Material no. Specification 99011458

Version

2.2 / US

Order Number

100611 04747052 Revision date Print Date Page

07/30/2015 03/21/2016 10 / 10

NOAEL NOEC

No observed adverse effect level no observed effect concentration

NOEL

no observed effect level

o. c.

open cup

OECD

Organisation for Economic Cooperation and Development

OEL

OSHA

Occupational Exposure Limit Occupational Safety and Health Administration

PBT PEC Persistent, bioaccumulative, toxic Predicted effect concentration Predicted no effect concentration

PNEC RQ

Reportable Quantity Safety Data Sheet

SDS STOT

Specific Target Organ Toxicity

UN

United Nations

vPvB

very persistent, very bioaccumulative

voc

volatile organic compounds

WHMIS

Workplace Hazardous Materials Information System

WHO

World Health Organization